1.3 Product Information


1.3.1 SPC, Labelling and Package Leaflet

1.3.1.1 Labelling

1.3.1.1.1 Product Description

Artworks of Fulvestrant 250mg Solution for Injection is enclosed overleaf.





ตัวอักษรสีดำ น้ำเงิน แดง บนพื้นสีขาว ม่วง เขียว ซึ่งอยู่บนแผ่นเดียวกัน

ขอรับรองว่าข้อความบนฉลากของภาชนะบรรจุทุกชนิตและหีบห่อ ถูกต้อง ตรงตามมาตรา ๒๕ (๓) หรือ ๒๗ (๒) และ (๓) แล้วแต่ละกรณี

<Description of Labelling>

1.3.1.1.1 Pg. 2





Batch Details along with variable data & Unique serial number on each carton with 2D data Matrix shall be printed during packing

ஊ



See Package insert for full details of administration. See below for assembly instructions.

Store at 2 -8°C (Refrigerator).

Store the pre-filled syringe in the original package in order to protect from light.


Warning: Keep out of reach of children.

Prescription only medicine.

Each mL contains Fulvestrant Ph. Eur. 50 mg

INSTRUCTIONS FOR INTRAMUSCULAR USE:

- 1. Remove glass syringe barrel from tray and check that it is not damaged.
- 2. Peel open the Safety Glide™ outer packaging.
- 3. Break the seal of the white plastic cover on the syringe luer connector to remove the cover with the attached rubber tip cap (see Figure 1).
- 4. Twist to lock the needle to the luer connector.
- 5. Remove needle sheath.
- 6. Remove excess gas from the syringe (a small gas bubble may remain).
- 7. Administer intramuscularly slowly in the buttock.
- 8. Immediately activate needle protection device upon withdrawal from patient by pushing lever arm completely forward until needle tip is fully covered (see Figure 2).
- 9. Visually confirm that the lever arm has fully advanced and the needle tip is covered. If unable to activate, discard immediately into an approved sharps collector.
- 10. Repeat steps 1 through 9 for second syringe (both syringes must be administered to receive the 500 mg recommended dose).





P10441



Fulvestrant 250 mg Solution for Injection 250 mg/5 mL (50 mg/mL)

-ulvestrant 250 mg Solution for Injection 250 mg/5 mL (50

mg/mL)

FULVAFIT

Fulvestrant 250 mg Solution for Injection 250 mg/5 mL (50 mg/mL)

For Intramuscular Use only For Single-Patient Use Only

This carton contains a total of 500 mg fulvestrant in TWO pre-filled syringes each containing 250 mg/5 mL (50 mg/mL), and two Safety Glide™ shielding intramuscular injection needles.

Both syringes must be administered to receive the 500 mg dose.



Contains 2 pre-filled syringes



านลือน: เวาเือานาให้เกิดอันตรายายายกายเรา เกิดอนโหรายกักกระบุคมายการกระบุคมานหมายเทานั้น

Reg. No. 1C.....(NG)

Imported by APL Pharma Thai Ltd., Bangkok er M.L. No.: 24/RR/TS/2015/F/G

Manufactured by: Eugia Pharma Specialities Limited, Survey No. 550, 551 & 552, Kolthur Village, Shameerpet Mandal, Medchal-Malkajgiri District, Telangana, India.

ตัวอักษรสีดำ น้ำเงิน แดง บนพื้นสีขาว ม่วง เขียว ซึ่งอยู่ บนแผ่นเดียวกัน

ขอรับรองว่าข้อความบนฉลากของภาชนะบรรจุทุกชนิดและหีบห่อ ถูกต้อง ตรงตามมาตรา ๒๕ (๓) หรือ ๒๗ (๒) และ (๓) แล้วแต่ละกรณี

<Description of Labelling>