








Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 
Lot: EXP:	Do not swallow the desiccant.	CRESEMBA™ 100 mg hard capsules Isavuconazole 

18-9261-02

ขอรับรองว่าข้อความบนฉลาก
ของภาชนะบรรจุทุกชนิดและหีบห่อ
ถูกต้องตรงตามมาตรา ๒๕ (๓)
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

สีของฉลาก พื้นสีขาว
ตัวอักษรสีดำ และขาว
ซึ่งอยู่บนแผ่นเดียวกัน