# ตารางเปรียบเทียบฉลากถุงของ CAPD/DPCA2

Vo.	ฉลากที่ได้รับอนุมัติ	ฉลากที่ขอแก้ไข
	HONG KONG, BANGLADESH, PAKISTAN CAPD/DPCA 2 Solution for pertoneal dialysis	HONG KONG, PAKISTAN CAPD/DPCA 2 Solution for peritoneal dialysis
	1 liter contains: Calcium chloride dihydrate Sodium chloride	1 liter contains: Calcium chloride dihydrate
	Sodium (S)-lactate solution	Sodium chloride
	Sodium (S)-lactate	Sodium (S)-lactate solution
	Magnesium chloride hexahydrate	Sodium (S)-lactate
		Magnesium chloride hexahydrate
	Glucose monohydrate	,
	anhydrous glucose Water for injections, hydrochloric acid,	Glucose monohydrate
	sodium hydroxide.	anhydrous glucose
	Sterile and free from bacterial endotoxins. Do	Water for injections, hydrochloric acid,
	not use unless solution is clear and container	sodium hydroxide.
	undamaged. For single use. Any unused	Sterile and free from bacterial endotoxins. Do
	portion of the solution should be discarded.	not use unless solution is clear and container
	For intra peritoneal use only. Solution is	undamaged. For single use. Any unused
	not to be used for intraverious infusion. Keep	portion of the solution should be discarded.
	out of the reach and sight of children.  Read the package leaflet before use. To	For intraperitoneal use only. Solution is
	be used only as directed by a medical	not to be used for intravenous infusion. <b>Keep</b>
	practitioner. <b>Do not store above 25°C.</b>	out of the reach and sight of children.
	Do not refrigerate or freeze. 請遵照醫	Read the package leaflet before use. To
	生指示使用,請勿將產品貯存於攝	be used only as directed by a medical
	氏25度以上。請勿將產品冷藏或冷	practitioner. <b>Do not store above 25°C.</b>
	凍。	Do not refrigerate or freeze. 請遵照醫 生指示使用,請勿將產品貯存於攝
		氏25度以上。請勿將產品冷藏或冷
	HK-36487	凍。
		Prescription Drug 處方藥物
		HK-36487
		Imported and Marketed by:
		(Fresenius Medical Care Pakistan Pvt. Ltd.)
		TAMC, First Floor 27-C III,
		(M.M. Alam Road, Gulberg III,)
		(Lahore 54660, Pakistan)
		(Registration Number 039884)
		MRP : PKR 400/ 2000 ml bag

<u>เดิม</u> มีการระบุประเทศ Bangladesh และไม่มีการแสดงข้อมูล Imported and Marketed ของประเทศ Pakistan <u>แก้ไขเป็น</u> ยกเลิกการระบุประเทศ Bangladesh และแสดงข้อมูลของประเทศ Pakistan

ฉลากที่ได้รับอนุมัติ ฉลากที่ขอแก้ไข No. **PHILIPPINES** INDIA INDIA 2 CAPD/DPCA 2 I.P. CAPD/DPCA 2 Peritoneal Dialysis Solution with Dextrose 1.5% Solution for peritoneal dialysis **PHILIPPINES** Solution for CAPD/DPCA 2 Peritoneal Dialysis Solution Peritoneal Dialysis I.P Peritoneal Dialysis Solution with Dextrose 1.5% 1 liter contains: CAPO/OPCA 2 1.5% Glucose stay esafe® 1 liter contains: Calcium chloride dihydrate Peritoneal Dialysis Solution Calcium chloride dihydrate Calcium chloride dihydrate Sodium chloride Sodium (S)-lactate solution Sodium chloride Sodium chloride 1 liter contains: Sodium (S)-lactate Sodium (S)-lactate solution Sodium (S)-lactate solution Calcium chloride dihydrate Magnesium chloride hexahydrate Sodium (S)-lactate Sodium (S)-lactate Magnesium chloride hexahydrate Magnesium chloride hexahydrate Glucose monohydrate Sodium chloride anhydrous glucose Sodium (S)-lactate solution Glucose monohydrate Dextrose Water for injections, hydrochloric acid, Sodium (S)-lactate anhydrous glucose sodium hydroxide. Magnesium chloride hexahydrate Water for injections, hydrochloric acid, Water for injections, hydrochloric acid, Sterile and free from bacterial endotoxins. Do sodium hydroxide. sodium hydroxide. not use unless solution is clear and container Deximse Sterile and free from bacterial endotoxins undamaged. For single use. Any unused Sterile and free from bacterial endotoxins. Do portion of the solution is to be discarded. For not use unless solution is clear and container (non-pyrogenic). Do not use unless solution Water for injections, hydrochloric acid, intraperitoneal use only. Solution Is not to undamaged. For single use. Any unused is clear and container undamaged. For single sodium hydroxide be used for intravenous infusion. Keep out portion of the solution is to be discarded. For use. Any unused portion of the solution of reach and sight of children. Read the Sterile and tree from bacterial endotoxins intraperitoneal use only. Solution is not to is to be discarded! For intraperitoneal package insert before use. To be used only (non-pyrogenic). Do not use unless solution be used for intravenous infusion. Keep out use only. Solution is not to be used for as directed by a medical practitioner. Do not is clear and container undamaged. For single of reach and sight of children. Read the intravenous infusion. Do not store above store above 25°C. Do not refrigerate or use. Any unused portion of the solution 25°C. Do not refrigerate or freeze. Keep package insert before use. To be used only is to be discarded! For intraperitoneal as directed by a medical practitioner. Do not out of the reach and sight of children! Imported by: Gautam Healthcare, store above 25°C. Do not refrigerate or Read the package insert before use. use only. Solution is not to be used for 230 Anadosii Complex. Intravenous Infusion. Do not store above freeze. Imported / Distributed by: Fresenius Medical Jhandewalan Extension Care Philippines, Inc. 18/F, Aeon Center, 25°C. Do not refrigerate or freeze, Keep New Delhi 110055, India. Imported and Marketed By: Comer Alabang-Zapote Road and North out of the reach and sight of children! Import License no.: FF-552-18264 Read the package insert before use. Fresenius Medical Care India Pvt. Ltd., Bridgeway, Filinvest Corporate City, Alabang) Imported / Distributed by: Freserius Medical Care Philippines, Inc. 2257 Don Chino Roces B7 & B8, Middle Portion, SIPCOT Industrial Muntinlupa City 1781, Philippines Caution: Marketed By: Fresenius Medical Care Park, Irungattukottai, Sriperumbudur, Chennai, Foods, Drugs, Devices and Cosmetics Act India Pvt. Ltd., 11 th Floor, Front wing, Dr. Ave., Makati City, 1231 Philippines Caution: 602105, India prohibits dispensing without prescription. For Gopal Dass Bhawan, 28-Barakhamba Road, suspected adverse drug reaction, report to Foods, Diugs, Devices and Cosmetics Act New Delhi - 110001, Inda Import License No.: FF-552-24961 the FDA: www.fda.gov.ph prohibits dispensing without prescription. Import License no. FF-552-17460 MRP: Rs 350 (Inclusive of all Taxes) DR-XY39970 DR-XY39970 MRP(Inclusive of Taxes): Rs 350/-

แก้ไข ข้อมูลรายละเอียดผู้นำสั่งประเทศ India และ Philippines

3





<u>แก้ไข่</u> โลโก้บริษัท

## ตารางเปรียบเทียบฉลากกล่องของ CAPD/DPCA2

No.	ฉลากที่ได้รับอนุมัติ	ฉลากที่ขอแก้ไข
1	HONG KONG / BANGLADESH / PAKISTAN CAPD/DPCA 2 Solution for peritoneal dialysis	HONG KONG / PAKISTAN  CAPD/DPCA 2  Solution for peritoneal dialysis
	1 liter contains:  Calcium chloride dihydrate	1 liter contains:  Calcium chloride dihydrate
	Sodium (S)-lactate solution Sodium (S)-lactate Magnesium chloride hexahydrate  Glucose monohydrate anhydrous glucose Water for injections, hydrochloric scid, sodium hydrocide.  Sterile and free from bacterial endotoxins. Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution should be discarded. For intraperitoneal use only. Solution is not to be used for intravenous infusion. Keep out of the reach and sight of children. Read the package leaflet before use. To be used only as directed by a medical practitioner. Do not store above 25°C. Do not refrigerate or freeze. 課課所會生指示使用,請勿將產品貯存於損失25度以上。請勿將產品冷藏或冷凍。  HK-36487	Sodium (S)-lactate solution Sodium (S)-lactate Magnesium chloride hexahydrate  Glucose monohydrate anhydrous glucose Water for injections, hydrochloric acid, sodium hydroxide.  Sterile and free from bacterial endotoxins. Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution should be discarded. For intraperitoneal use only. Solution is not to be used for intravenous infusion. Keep out of the reach and sight of children. Read the package leaflet before use. To be used only as directed by a medical practitioner. Do not store above 25°C. Do not refrigerate or freeze. 請遵照醫生指示使用,請勿將產品貯存於攝氏25度以上。請勿將產品冷藏或冷凍。 Prescription Drug 處方藥物 HK-36487
		Imported and Marketed by: (Fresenius Medical Care Pakistan Pvt. Ltd.) (TAMC, First Floor 27-C III, (M.M. Alam Road, Gulberg III,) (Lahore 54660, Pakistan) (Registration Number 039884) (MRP: PKR 400/2000 ml bag)

<u>เดิม</u> มีการระบุประเทศ Bangladesh และไม่มีการแสดงข้อมูล Imported and Marketed ของประเทศ Pakistan

<u>แก้ไขเป็น</u> ยกเลิกการระบุประเทศ Bangladesh และแสดงข้อมูลของประเทศ Pakistan

2

INDIA

### CAPD/DPCA 2 I.P.

Solution for peritoneal dialysis

1 liter contains:

#### Calcium chloride dihydrate

Sodium chloride

Sodium (S)-lactate solution

Sodium (S)-lactate

Magnesium chloride hexahydrate

Glucose monohydrate

anhydrous glucose

Water for injections, hydrochloric acid, sodium hydroxide.

Sterile and free from bacterial endotoxins. Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution is to be discarded. For intraperitoneal use only. Solution is not to be used for intravenous infusion. Keep out of reach and sight of children. Read the package insert before use. To be used only as directed by a medical practitioner. Do not store above 25°C. Do not refrigerate or freeze.

Imported by: Gautam Healthcare,

230 Anarkali Complex, Jhandewalan Extension,

New Delhi 110055, India. Import License no.: FF-552-18264

Marketed By: Fresenius Medical Care India Pvt. Ltd.,

11 th Floor, Front wing, Dr. Gopal Dass Bhawan, 28-Barakhamba Road,

New Delhi - 110001, India. Import License no.:FF-552-17460 MRP(Inclusive of Taxes): Rs 350/- Multi-lingual, multi-country label

#### **PHILIPPINES**

#### Peritoneal Dialysis Solution with Dextrose 1.5%

CAPD/DPCA 2 1.5% Glucose stay • safe®

Peritoneal Dialysis Solution

R

1 liter contains:

#### Calcium chloride dihydrate

Sodium chloride

Sodium (S)-lactate solution

Sodium (S)-lactate

Magnesium chloride hexahydrate

Dextrose

Water for injections, hydrochloric acid, sodium hydroxide.

Sterile and free from bacterial endotoxins (non-pyrogenic). Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution is to be discarded! For intraperitoneal use only. Solution is not to be used for intravenous infusion. Do not store above

25°C. Do not refrigerate or freeze. Keep out of the reach and sight of children! Read the package insert before use.

Imported / Distributed by: Fresenius Medical Care Philippines, Inc. 2257
Don Chino Roces Ave., Makati City, 1231 Philippines Caution: Foods, Drugs,
Devices and Cosmetics Act prohibits dispensing without prescription

DR-XY39970

INDIA

# CAPD/DPCA 2 Solution for Peritoneal Dialysis I.P

1 liter contains

#### Calcium chloride dihydrate

Sodium chloride

Sodium (S)-lactate solution

Sodium (S)-lactate

Magnesium chloride hexahydrate

Glucose monohydrate

anhydrous glucose

Water for injections, hydrochloric acid, sodium hydroxide.

Sterile and free from bacterial endotoxins. Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution is to be discarded. For intraperitoneal use only. Solution is not to be used for intravenous infusion. Keep out of reach and sight of children. Read the package insert before use. To be used only as directed by a medical practitioner. Do not store above 25°C. Do not refrigerate or freeze.

Imported and Marketed By:

Fresenius Medical Care India Pvt. Ltd.,

B7 & B8, Middle Portion, SIPCOT Industrial Park, Irungattukottai,

Sriperumbudur, Chennai, 602105, India

Import License No.: FF-552-24961

MRP: Rs 350 (Inclusive of all taxes) per Bag Multi-lingual, multi-country label

#### **PHILIPPINES**

Peritoneal Dialysis Solution with Dextrose 1.5%

CAPD/DPCA 2

Peritoneal Dialysis Solution

1 liter contains:



#### Calcium chloride dihydrate

Sodium chloride

Sodium (S)-lactate solution

Sodium (S)-lactate

Magnesium chloride hexahydrate

Dextrose

Water for injections, hydrochloric acid, sodium hydroxide.

Sterile and free from bacterial endotoxins (non-pyrogenic). Do not use unless solution is clear and container undamaged. For single use. Any unused portion of the solution is to be discarded! For intraperitoneal use only. Solution is not to be used for intravenous infusion. Do not store above 25°C. Do not refrigerate or freeze. Keep out of the reach and sight of while the produce input before use.

25°C. Do not refrigerate or freeze. Keep out of the reach and sight of children! Read the package insert before use. Imported / Distributed by: Fresenius Medical Care Philippines, Inc. 18/F,

Aeon Center, Corner Alabang-Zapote Road and North Bridgeway, Filinvest Corporate City, Alabang Muntinlupa City 1781, Philippines Caution: Foods, Drugs, Devices and Cosmetics Act prohibits dispensing without prescription. For suspected adverse drug reaction, report to the FDA: www.fda.gov.ph

DR-XY39970

No.	ฉลากที่ได้รับอนุมัติ	ฉลากที่ขอแก้ไข
3	Fresenius Medical Care	FRESENIUS MEDICAL CARE
<u>แก้ไข</u>	โลโก้บริษัท	