



PRINT SIDE

ซองกระดาษ (wallet) บรรจุแผงบลิสเตอร์ (แผงละ 10 เม็ด บรรจุ 3 แผงใน 1 กล่อง)

When you take a tablet, fill in the day of the week or the date in the space provided.



imbruvica® 280 mg film-coated tablets
ibrutinib



Flip open the pack. Push tablet through from other side.

Batch no.:
Mfg. Date:
Exp./ใช้จน:

EU/1/14/945/010

- Use as directed by your physician
- Take IMBRUVICA tablet by mouth, at about the same time each day, with a glass of water
- Swallow the tablet whole. Do not break or chew
- If you miss a dose of IMBRUVICA, take it as soon as you remember on the same day. Do not take extra doses to make up the missed dose

HOW TO TAKE IMBRUVICA

Each film-coated tablet contains 280 mg of ibrutinib. Contains lactose. See package leaflet for further information. Keep out of the sight and reach of children. Read the package leaflet before use. Dispose of unused medicines as per local requirements.

imbruvica® 280 mg film-coated tablets

imbruvica® 280 mg film-coated tablets
ibrutinib

Oral use

Prescription only
Do not store above 30° C
Please see full prescribing information at <http://ndi.fda.moph.go.th/>
คำเตือน: ยานี้อาจทำให้เกิดอันตรายร้ายแรงได้ ต้องใช้ภายใต้การควบคุมของแพทย์เท่านั้น
Manufactured by Cilag AG, Hochstrasse 201, Schaffhausen, 8200 Switzerland.
Secondary Packaged and Released by Janssen-Cilag SpA, Via C. Janssen, Loc. Borgo S. Michele, 04100 Latina, Italy.
Imported by Janssen-Cilag Ltd., Bangkok, Thailand
Please refer to enclosed package insert for full company contact address.

Reg. No. 1C-XXXXX/XX (NC)

ยาควบคุมพิเศษ
ใช้เฉพาะโรงพยาบาล



10 film-coated tablets

© J-C 2020 janssen

ขอรับรองว่าข้อความบนฉลาก
ของภาชนะบรรจุทุกชนิดและหีบห่อ
ถูกต้องตามมาตรา ๒๕ (๓)
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

Other
IMBRUVICA
PCC: AW_145360

Global Graphic Services




Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com
Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com

แผงบลิสเตอร์ที่บรรจุอยู่ด้านในซองกระดาษ (wallet)

บรรจุ 10 เม็ด มีช่องว่าง 4 ช่องต่อแผง

10 count blister



imbruvica® 280 mg
ibrutinib

Lot

EXP

AW_153212

imbruvica® 280 mg
ibrutinib

Lot

EXP

AW_153212

imbruvica® 280 mg
ibrutinib

Lot

EXP

AW_153212

imbruvica® 280 mg
ibrutinib

Lot

EXP

AW_153212

Process Black

Blister length 140 mm

Print register control 142mm



winding/
machine direction

Print image width 271mm

Foil
Imbruvica

PCC: **AW_153212**

Global Graphic Services

Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com
Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com

janssen

แผงบลิสเตอร์ที่บรรจุอยู่ด้านในซองกระดาษ (wallet)

(ด้านหลัง)

imbruvica[®] 280 mg
ibrutinib

AW_153212

Lot

EXP

imbruvica[®] 280 mg
ibrutinib

AW_153212

Lot

EXP

imbruvica[®] 280 mg
ibrutinib

AW_153212

Lot

EXP

imbruvica[®] 280 mg
ibrutinib

AW_153212

Lot

EXP