


PRINT SIDE

ซองกระดาษ (wallet) บรรจุแผงบลิสเตอร์ (แผงละ 10 เม็ด บรรจุ 3 แผงใน 1 กล่อง)

When you take a tablet, fill in the date in the week or the day of the week or the date in the space provided.




- Use as directed by your physician
- Take IMBRUVICA tablet by mouth, at about the same time each day, with a glass of water
- Swallow the tablet whole. Do not break or chew
- If you miss a dose of IMBRUVICA, take it as soon as you remember on the same day. Do not take extra doses to make up the missed dose

HOW TO TAKE IMBRUVICA

Each film-coated tablet contains 420 mg of ibrutinib. Contains lactose. See package leaflet for further information. Keep out of the sight and reach of children. Read the package leaflet before use. Dispose of unused medicines as per local requirements.

imbruvica® 420 mg film-coated tablets

imbruvica® 420 mg film-coated tablets  
ibrutinib



Tamper area

Flip open the pack. Push tablet through from other side.

Batch no.:  
Mfg. Date:  
Exp./ใช้จน:

EU/1/14/0945/005

imbruvica® 420 mg film-coated tablets  
ibrutinib

Oral use

Prescription only  
Do not store above 30° C  
Please see full prescribing information at <http://ndi.fda.moph.go.th/>

คำเตือน: ยานี้อาจทำให้เกิดอันตรายร้ายแรงได้ ต้องใช้ภายใต้การควบคุมของแพทย์เท่านั้น  
 Manufactured by Cilag AG, Hochstrasse 201, Schaffhausen, 8200 Switzerland.  
 Secondary Packaged and Released by Janssen-Cilag SpA, Via C. Janssen, Loc. Borgo S. Michele, 04100 Latina, Italy.  
 Imported by Janssen-Cilag Ltd., Bangkok, Thailand  
 Please refer to enclosed package insert for full company contact address.

Reg. No. 1C-XXXXX/XX (NC)

ยาควบคุมพิเศษ  
ใช้เฉพาะโรงพยาบาล



10 film-coated tablets

© J-C 2020 janssen


ขอรับรองว่าข้อความบนฉลาก  
ของภาชนะบรรจุทุกชนิดและหีบห่อ  
ถูกต้องตามมาตรา ๒๕ (๓)  
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

<p>Other IMBRUVICA PCC: AW_145368</p>	<p>Global Graphic Services janssen</p> <p>Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com</p>
-----------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------

แผงบลิสเตอร์ที่บรรจุอยู่ด้านในซองกระดาษ (wallet)

บรรจุ 10 เม็ด มีช่องว่าง 4 ช่องต่อแผง

10 count blister



imbruvica® 420 mg  
ibrutinib

AW\_153213

Lot EXP

imbruvica® 420 mg  
ibrutinib

AW\_153213

Lot EXP

imbruvica® 420 mg  
ibrutinib

AW\_153213

Lot EXP

imbruvica® 420 mg  
ibrutinib

AW\_153213


Lot EXP

Process Black

Print image width 271mm

Blister length 140 mm

Print register control 142mm



winding/  
machine direction

Foil  
Imbruvica

PCC: **AW\_153213**

**Global Graphic Services**

Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com  
Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com

janssen

แผงบลิสเตอร์ที่บรรจุอยู่ด้านในซองกระดาษ (wallet)

(ด้านหลัง)

**imbruvica<sup>®</sup> 420 mg**  
**ibrutinib**

AW\_153213

Lot

EXP

**imbruvica<sup>®</sup> 420 mg**  
**ibrutinib**

AW\_153213

Lot

EXP

**imbruvica<sup>®</sup> 420 mg**  
**ibrutinib**

AW\_153213

Lot

EXP

**imbruvica<sup>®</sup> 420 mg**  
**ibrutinib**

AW\_153213

Lot

EXP