

B|BRAUN B|BRAUN B|BRAUN B|BRAUN B|BRAUN

Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride

# ROPIvacain

20 mg/10 ml

Mini-Plasco® connect  
20 x 10 ml




Reg. no.: XXXXXXXX

Mgf. date:  
Batch:  
EXP:  
(ยาสิ้นอายุ)

REF XXX XXXX GTIN: 04030539213448

ฉลากกล่องเดี่ยวบรรจุหลอดยาทุกขนาดบรรจุ

B|BRAUN B|BRAUN B|BRAUN B|BRAUN B|BRAUN




20 x 10 ml

20 mg/10 ml

Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride

# ROPIvacain



1 ml contains 2 mg ropivacaine hydrochloride (as ropivacaine hydrochloride monohydrate)  
One ampoule of 10 ml contains 20 mg ropivacaine hydrochloride  
Sodium chloride, sodium hydroxide 0.4 %, hydrochloric acid 0.36 %, water for injections  
Solution for injection/infusion  
Perineural and epidural use  
For single use only  
Read the package leaflet before use.  
Keep out of the sight and reach of children.  
Use only if solution is clear and colourless and the container and its closure are undamaged.  
Do not freeze  
Do not store above 30 °C.

ยาอันตราย

# ROPIvacain

Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride

20 x 10 ml

20 mg/10 ml



B|BRAUN B|BRAUN B|BRAUN B|BRAUN B|BRAUN

# ROPIvacain

Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride



20 mg/10 ml

20 x 10 ml

20 x 10 ml

20 mg/10 ml




Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride

# ROPIvacain

B|BRAUN

Marketing Authorisation Holder:  
B. Braun Melsungen AG  
34209 Melsungen, Germany  
Manufactured by:  
B. Braun Melsungen AG  
Mistelweg 2, 12357 Berlin, Germany  
Imported by:  
B. Braun (Thailand) Ltd., Bangkok, Thailand









810/12628502/1020

ขอรับรองว่าข้อความบนฉลากของภาชนะบรรจุทุกชนิดและหีบห่อ ถูกต้องตรงตามมาตรา ๒๕(๓) หรือ ๒๗(๒) และ (๓) แล้วแต่กรณี

๓๓๑.

ฉลากกล่องเดี่ยวบรรจุขวดยาทุกขนาดบรรจุ

 <p>Mfg: date: Batch: EXP: (ภาษาไทย)</p>			
ropivacaine hydrochloride			
B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN B BRAUN			
<p>Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride</p> <p><b>ROPIvacain</b></p>	<p>1 x 100 ml</p> <p><b>200 mg / 100 ml</b></p> 	<p>1 x 100 ml</p> <p><b>200 mg / 100 ml</b></p> 	<p>1 x 100 ml</p> <p><b>200 mg / 100 ml</b></p> 
<p>1 ml contains 2 mg ropivacaine hydrochloride (as ropivacaine hydrochloride monohydrate) One bottle of 100 ml contains 200 mg ropivacaine hydrochloride Sodium chloride, sodium hydroxide 0.4 %, hydrochloric acid 0.36 %, water for injections Solution for injection/infusion Perineural and epidural use For single use only Read the package leaflet before use. Keep out of the sight and reach of children. Use only if solution is clear and colourless and the container and its closure are undamaged. Do not freeze. Do not store above 30 °C. Reg. no.: XXXXXXXX</p> <p style="text-align: right;"><b>ยาอันตราย</b></p>	Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride	Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride	Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride
<p>REF XXX XXXX</p>  <p>4 030539 213554</p> <p><b>B   BRAUN</b></p> <p>Marketing Authorisation Holder: B. Braun Melsungen AG 34209 Melsungen, Germany Manufactured by: B. Braun Medical S.A., Carretera de Terrassa, 121 08191 Rubi (Barcelona), Spain Imported by: B. Braun (Thailand) Ltd., Bangkok, Thailand</p>	<b>ROPIvacain</b>	<b>ROPIvacain</b>	<b>ROPIvacain</b>
<p>ขอรับรองว่าข้อความบนฉลากของภาชนะบรรจุทุกชนิดและหีบห่อ ถูกต้องตรงตาม มาตรา ๒๕(๓) หรือ ๒๗(๒) และ (๓) แล้วแต่กรณี</p>	<p>Ropivacaine B. Braun 2 mg/ml solution for injection/infusion ropivacaine hydrochloride</p> <p><b>ROPIvacain</b></p> 		

๓๓ ๑.

ฉลากกล่องบรรจุขวดยาทุกขนาดบรรจุ (ยกเว้นขวดเดี่ยว)

Ropivacaine B. Braun 2 mg/ml solution for injection/infusion

ropivacaine hydrochloride

**ROPIvacain**  
**200 mg / 100 ml**

**10 x 100 ml**

1 ml contains 2 mg ropivacaine hydrochloride (as ropivacaine hydrochloride monohydrate)

One bottle of 100 ml contains 200 mg ropivacaine hydrochloride

Sodium chloride, sodium hydroxide 0.4 %, hydrochloric acid 0.36 %, water for injections

Solution for injection/infusion

Perineural and epidural use

For single use only. Read the package leaflet before use. Keep out of the sight and reach of children.

Use only if solution is clear and colourless and the container and its closure are undamaged. Do not freeze. Do not store above 30 °C.

Reg. no.: XXXXXXXX

Marketing Authorisation Holder:

B. Braun Melsungen AG

34209 Melsungen, Germany

Manufactured by: B. Braun Medical S.A., Carretera de Terrassa, 121 08191 Rubi (Barcelona), Spain

REF XXX XXXX  
GTIN: 04030539213486

81012628508/1020

Mgf. date:

Batch:

EXP:  
(ถ้ามี)

ยาอันตราย

**B | BRAUN**

Imported by: B. Braun (Thailand) Ltd., Bangkok, Thailand



ขอรับรองว่าข้อความบนฉลากของภาชนะบรรจุ  
ทุกชนิดและหีบห่อ ถูกต้องตรงตามมาตรา ๒๕  
(๓) หรือ ๒๗(๒) และ (๓) แล้วแต่กรณี

๓๓๑.