
























ฉลากกระบอกบรรจุยาพร้อมฉีด (pre-filled syringe)

เหมือนกันทุกขนาดบรรจุ



ขอรับรองว่าฉลากมีพื้นที่น้อยกว่า 3 ตารางนิ้ว

ขอรับรองว่าข้อความบนฉลาก
ของภาชนะบรรจุทุกชนิดและหีบห่อ
ถูกต้องตรงตามมาตรา ๒๕ (๓)
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

Label TREMFYA PCC: 23464A	Global Graphic Services  Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com																																	
<i>Format Ref:</i> S/L/3200-2 (32x27) <i>Tech. info/Spec:</i> N/A <i>Country:</i> TH <i>Mat. ID Code:</i> PCC <i>File Name:</i> 23464A.ai (CS6-PC)	<table border="1"><tr><td></td><td>Black</td><td></td><td>Janssen Varnish</td><td rowspan="8"><i>Date (Designer)</i> 1. 11-DEC-18 (Laxmi) 2. 17-JAN-19 (Laxmi) 3. 4. 5. 6. 7. 8.</td></tr><tr><td></td><td>PMS 431</td><td></td><td>Lum Lack 7 Transparent</td></tr><tr><td></td><td>PMS 326</td><td></td><td>White background</td></tr><tr><td></td><td></td><td></td><td>Diecut (not to be printed)</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>		Black		Janssen Varnish	<i>Date (Designer)</i> 1. 11-DEC-18 (Laxmi) 2. 17-JAN-19 (Laxmi) 3. 4. 5. 6. 7. 8.		PMS 431		Lum Lack 7 Transparent		PMS 326		White background				Diecut (not to be printed)																
	Black		Janssen Varnish	<i>Date (Designer)</i> 1. 11-DEC-18 (Laxmi) 2. 17-JAN-19 (Laxmi) 3. 4. 5. 6. 7. 8.																														
	PMS 431		Lum Lack 7 Transparent																															
	PMS 326		White background																															
			Diecut (not to be printed)																															