



ฉลาก Syringe ขนาดบรรจุ 20,000 IU/0.5 mL แบบใหม่ที่ขอแก้ไขเปลี่ยนแปลง




ขอรับรองว่าข้อความบนฉลาก  
ของภาชนะบรรจุทุกชนิดและหีบห่อ  
ถูกต้องตามมาตรา ๒๕ (๓)  
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

ขอรับรองว่าฉลากมีพื้นที่น้อยกว่า 3 ตารางนิ้ว

<p><b>Label</b> <b>EPREX PROTECS</b> <b>PCC: MU_184793</b></p>	<p><b>Product Artwork CoE</b></p>			<p>janssen </p>
<p>Template Ref. Name: Schaffhausen/Label/3068/4</p> <p>Tech. info/Spec: NA</p> <p>Market: TH</p> <p>Mat. ID Code: PCC</p> <p>File Name: MU_184793.ai (CC-PC)</p> <p>Replaces PCC: NA</p>	<p>Black</p>	<p>White Background</p>	<p>JANSSEN VARNISH + LUM LACK 7</p> <p>Diecut (not to be printed)</p> <p>Perforation -----</p>	<p>Date (Designer)</p> <p>1. 19-MAY-22 (Laxmi)</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p>
<p>Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com</p>				























Approval on 10-Jan-2023

ฉลาก Syringe ขนาดบรรจุ 40,000 IU/mL แบบใหม่ที่ขอแก้ไขเปลี่ยนแปลง



ขอรับรองว่าข้อความบนฉลาก  
ของภาชนะบรรจุทุกชนิดและหีบห่อ  
ถูกต้องตามมาตรา ๒๕ (๓)  
หรือ ๒๗ (๒) และ (๓) แล้วแต่กรณี

ขอรับรองว่าฉลากมีพื้นที่น้อยกว่า 3 ตารางนิ้ว

<p><b>Label</b> <b>EPREX PROTECS</b> <b>PCC: MU_184794</b></p>	<p><b>Product Artwork CoE</b></p>			<p>janssen </p>																
<p>Template Ref. Name: Schaffhausen/Label/3068/4</p> <p>Tech. info/Spec: NA</p> <p>Market: TH</p> <p>Mat. ID Code: PCC</p> <p>File Name: MU_184794.ai (CC-PC)</p> <p>Replaces PCC: NA</p>	<p>Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com</p> <table border="1"> <tr> <td data-bbox="762 760 820 821">  </td> <td data-bbox="820 760 979 821"> <p>Black</p> </td> <td data-bbox="979 760 1037 821">  </td> <td data-bbox="1037 760 1286 821"> <p>White Background</p> </td> </tr> <tr> <td data-bbox="762 821 820 882">  </td> <td data-bbox="820 821 979 882"> <p>PMS 430</p> </td> <td data-bbox="979 821 1037 882">  </td> <td data-bbox="1037 821 1286 882"> <p>JANSSEN VARNISH + LUM LACK 7</p> </td> </tr> <tr> <td data-bbox="762 882 820 943">  </td> <td data-bbox="820 882 979 943"></td> <td data-bbox="979 882 1037 943">  </td> <td data-bbox="1037 882 1286 943"> <p>Diecut (not to be printed)</p> </td> </tr> <tr> <td data-bbox="762 943 820 1004"></td> <td data-bbox="820 943 979 1004"></td> <td data-bbox="979 943 1037 1004"></td> <td data-bbox="1037 943 1286 1004"> <p>Perforation </p> </td> </tr> </table>				<p>Black</p>		<p>White Background</p>		<p>PMS 430</p>		<p>JANSSEN VARNISH + LUM LACK 7</p>				<p>Diecut (not to be printed)</p>				<p>Perforation </p>	<p>Date (Designer)</p> <ol style="list-style-type: none"> <li>20-MAY-22 (Laxmi)</li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> <li></li> </ol>
	<p>Black</p>		<p>White Background</p>																	
	<p>PMS 430</p>		<p>JANSSEN VARNISH + LUM LACK 7</p>																	
			<p>Diecut (not to be printed)</p>																	
			<p>Perforation </p>																	

Approval on 10-Jan-2023