

ภาคผนวกที่ 2

ฉลากยา

ยี่ห้อ
ยี่ห้อ

DOM
EXP
Lot No

CSL Behring

250 IU

IDELVION™ 250 IU
Powder and solvent for solution for injection
Active ingredient:
Albutrepenonacog alfa 250 IU
Do not store above 25 °C. Do not freeze.
Keep the vial in the outer carton in order to protect from light.
Keep out of the light and reach of children.
Albutrepenonacog alfa medicinal products should be disposed of in accordance with local requirements.
Reconstituted product should be used within 4 hours.

CSL Behring

250 IU

IDELVION™ 250 IU
Powder and solvent for injection for reconstitution
Active ingredient:
Albutrepenonacog alfa 250 IU
For intravenous use
Read the package leaflet before use.
Medicinal product subject to medical prescription.
Reg. no.: XXXXX
CSL Behring GmbH, 35041 Marburg, Germany
Imported by: Zuelig Pharma Ltd. Bangkok, Thailand

CSL Behring

250 IU

105 x 96 x 63 mm (5005)

■ black
■ 523
■ 185
■ 717

Varnish free area indication only - not to be printed.
(Lackausparung - wird nicht in Druck übernommen)

CSL Behring

CSL Behring

250 IU

IDELVION™ 250 IU
Powder and solvent for injection
1. Mix with powder
2. Add solvent
3. Shake
4. Use immediately
5. Discard after use
6. Do not use if the solution is cloudy
7. Do not use if the solution is discolored
8. Do not use if the solution is precipitated
9. Do not use if the solution is turbid
10. Do not use if the solution is contaminated
11. Do not use if the solution is expired
12. Do not use if the solution is damaged
13. Do not use if the solution is leaking
14. Do not use if the solution is broken
15. Do not use if the solution is swollen
16. Do not use if the solution is soft
17. Do not use if the solution is hard
18. Do not use if the solution is brittle
19. Do not use if the solution is sticky
20. Do not use if the solution is stringy
21. Do not use if the solution is clumpy
22. Do not use if the solution is chunky
23. Do not use if the solution is lumpy
24. Do not use if the solution is grainy
25. Do not use if the solution is sandy
26. Do not use if the solution is pebbly
27. Do not use if the solution is stony
28. Do not use if the solution is shaly
29. Do not use if the solution is silty
30. Do not use if the solution is sandy
31. Do not use if the solution is pebbly
32. Do not use if the solution is stony
33. Do not use if the solution is shaly
34. Do not use if the solution is silty
35. Do not use if the solution is sandy
36. Do not use if the solution is pebbly
37. Do not use if the solution is stony
38. Do not use if the solution is shaly
39. Do not use if the solution is silty
40. Do not use if the solution is sandy
41. Do not use if the solution is pebbly
42. Do not use if the solution is stony
43. Do not use if the solution is shaly
44. Do not use if the solution is silty
45. Do not use if the solution is sandy
46. Do not use if the solution is pebbly
47. Do not use if the solution is stony
48. Do not use if the solution is shaly
49. Do not use if the solution is silty
50. Do not use if the solution is sandy

รูปภาพข้อความบนฉลากบนกล่องบรรจุยา IDELVION 250[®]

et27784_Idelvion_250 27784 26_63x19 01.06.2016 09:27 Seite 1

IDELVION® 250 IU 250 IU

Powder for solution for injection
Albutrepenonacog alfa 250 IU
 For intravenous use
 CSL Behring GmbH, 35041 Marburg, Germany

Code

27784A (26)

63 x 19mm

- black
- 533
- 717

Lot No.

EXP Lot No.

etE7025_Beipack 2.5ml 99:62x21 28.01.2013 14:43 Seite 1

2.5 ml

Water for injections/
 Eau pour injections/
 Agua para inyecciones

Do not freeze. Ne pas congeler.
 No congelar.
 Keep out of the sight and
 reach of children.
 Tenir hors de la vue et de
 la portée des enfants.
 Mantener fuera de la vista
 y del alcance de los niños.

CSL Behring GmbH
 35041 Marburg, Germany

E7025 99 A

Exp./
 Exp./
 Val.

Lot No.

รูปภาพข้อความบนฉลากยาต้านในของ IDELVION 250®